

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	39946	touch adj (screen or pad or panel or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:48
S2	211647	A/D or analog adj digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:24
S3	7255	(A/D or analog adj digital) same capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:33
S4	865	((A/D or analog adj digital) same capacitor) same switches	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:25
S5	0	(touch adj (screen or pad or panel or display)) same (((A/D or analog adj digital) same capacitor) same switches)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:25
S6	3	(touch adj (screen or pad or panel or display)) and (((A/D or analog adj digital) same capacitor) same switches)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:26
S7	9371	first same second same third same switch\$5 same capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:34
S8	1369	(first same second same third same switch\$5 same capacitor) same electrode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:34
S9	1	(touch adj (screen or pad or panel or display)) and ((A/D or analog adj digital) and ((first same second same third same switch\$5 same capacitor) same electrode\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:34

S10	112	(A/D or analog adj digital) and ((first same second same third same switch\$5 same capacitor) same electrode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 15:24
S11	114	electrode same sampling adj capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 15:25
S12	84	(electrode same sampling adj capacitor) same switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 15:28
S13	0	((electrode same sampling adj capacitor) same switch\$4) and (touch adj (screen or pad or panel or display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 15:28
S14	0	((electrode same sampling adj capacitor) same switch\$4) and touch\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 15:28
S15	22	((electrode same sampling adj capacitor) same switch\$4) and (A/D or analog adj digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 15:44
S16	86	(A/D or analog adj digital) same (sampling adj capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 15:53
S17	2	"6222528"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 15:53
S18	784	touch adj (screen or pad or panel or display) with (capacit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 10:27
S19	0	(touch adj (screen or pad or panel or display) with (capacit\$4)) same sampling adj capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 10:12

S20	138	(touch adj (screen or pad or panel or display) with (capacit\$4)) same electrode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 10:23
S21	82	(microcontroller or cpu or mpu or processor) same switches same capacitor same (analog adj digital or A/D)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 10:25
S22	0	(touch adj (screen or pad or panel or display) with (capacit\$4)) and ((microcontroller or cpu or mpu or processor) same switches same capacitor same (analog adj digital or A/D))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 10:24
S23	13	(microcontroller or cpu or mpu or processor) same switches same capacitor same (analog adj digital or A/D) and (pad or panel or screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 10:25
S24	82	touch adj (screen or pad or panel or display) with (capacit\$4) same (processor or mpu or cpu or microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/05 10:27
S25	7	(US-5777604-\$ or US-5990578-\$ or US-6166766-\$ or US-6175192-\$ or US-6373474-\$ or US-6653967-\$ or US-6654262-\$).did.	USPAT	OR	OFF	2005/04/06 09:57
S26	3749	(analog adj digital or A/D) with capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 11:05
S27	22	S26 same touch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 11:08
S28	3167	sensor same conductors same signals	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 11:09
S29	66	S28 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 11:09

S30	18730	(telephone or phone) with number with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:34
S31	2379	S30 same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:34
S32	203	S31 same display\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 12:34
S33	57	S32 and @ad<"19990226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:12
S34	28	convert\$5 with telephone with number with URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:13
S35	47	convert\$5 with telephone with number with link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:13
S36	4	S34 and @ad<"19990226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:23
S37	2	"6519616".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:16
S38	3	"6338085".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:16
S39	2	"6266539".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:16

S40	27	S35 and @ad<"19990226"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:17
S41	130771	transcod\$5 wit telephone with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:24
S42	19	transcod\$5 with telephone with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 13:24
S43	78415	touch near2 (pad or panel or screen or sensitive or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:50
S44	11781	S43 same switch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:50
S45	175	S44 same capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:04
S46	190	S43 same multiplexer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:04
S47	43	S46 same capacit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:10
S48	27941	multiplexer with switch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:11
S49	1969	S48 same capacit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:11

S50	48	S43 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:11
S51	78415	touch near2 (pad or panel or screen or sensitive or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 09:54
S52	950	S51 same potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 09:55
S53	82	S52 same capacit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:21
S54	419681	analog with digital or A/D	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:22
S55	1523	S51 same S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:22
S56	315	S55 same switch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:22
S57	80	S56 same capacit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:22
S58	556	sensing adj electrode with capacit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 13:30
S59	24	S58 same: touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 13:41

S60	6355	first adj potential same second adj potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 13:41
S61	11	S60 same touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 13:42
S62	1210	sampling adj capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:25
S63	6	S62 same touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:30
S64	3566	first same second same sampling same capacit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:30
S65	18	S64 same touch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:31
S66	2	"5777604".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:50
S67	2	"6373474".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:50
S68	2	"6222528".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 15:43
S69	20339	capacitor same electrode same switch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 16:11

S70	178	S69 same touch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 16:12
S71	78660	touch near2 (pad or panel or screen or sensitive or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:05
S72	6610	(analog near2 digital or A/D) with capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:05
S73	10	S71 same S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:08
S74	35102	potential same electrode same second same potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:08
S75	4662	S74 same capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:09
S76	6	S75 same S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:17
S77	15616	parallel\$5 same electrode same capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:18
S78	2	S77 same S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:19
S79	232	S71 with capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:51

S80	43	S79 same electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:30
S81	115	capacitor same first same second same switch\$5 same touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:55
S82	8736	single same pole same double same throw same switch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:35
S83	30	S82 same touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:35
S84	2662	sens\$5 same electrode same second same capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:01
S85	16	S84 same touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:01
S86	873	first adj lead with capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:01
S87	5	S86 same electrode same potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:02
S88	103	touch same capacitor same lead	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 15:03